























AUTOMATED ANALYSIS OF FEMOROTIBIAL CARTILAGE TRANSVERSE RELAXATION TIME (T2) IN ACL-INJURED KNEES USING CNNs -**CLINICAL VALIDATION IN THE OA-BIO EURO* PROJECT**

^{1,2}F. Eckstein, ³N.M. Brisson, ³G.N. Duda, ⁴F. Berenbaum, ^{1,2}W. Wirth


¹Center for Anatomy & Cell Biology and Ludwig Boltzmann Institute for Arthritis and Rehabilitation (LBIAR), Paracelsus Medical University (PMU), Salzburg, Austria; 2Chondrometrics GmbH, Freilassing, Germany; ³Julius Wolff Institute, Berlin Institute of Health at Charité - Universitätsmedizin Berlin, Germany; ⁴Department of Rheumatology, Sorbonne University, INSERM, AP-HP Saint-Antoine Hospital, Paris, France











SEX-DIFFERENCES IN RADIOGRAPHIC KNEE JOINT SPACE WIDTH (JSW) ACROSS OA STAGES &

"GENUINE" SEXUAL DIMORPHISM IN **QUANTITATIVE CARTILAGE MEASURES**

^{1,2}Felix Eckstein, ^{1,2}Wolfgang Wirth

¹Research Program for Musculoskeletal Imaging, Center for Anatomy and Cell Biology 8 Ludwig Boltzmann Institute for Arthritis & Rehabilitation, Paracelsus Medical University, Salzburg, Austria; 2Chondrometrics GmbH, Freilassing, Germany;

24th QMSKI / Barossa Australia / November 3-8, 2024 / ECKSTEIN et al.











24th QMSKI / Barossa Australia / November 3-8, 2024 / ECKSTEIN et al.





























PARACELSUS MEDICAL UNIVERSITY





